

**DECLARATION OF PERFORMANCE
Placo® X-Ray Protection**

Identification code: DdP_PYL_XRY_001

1. Product identification:

Placo® X-Ray Protection

Depending on the brand of the Saint-Gobain country the identification of the product will be:

- Rigips® X-Ray Protection
- Gyproc® X-Ray Protection
- British Gypsum® X-Ray Protection

2. Intended use of the product:

Construction of partition walls, ceilings and partitions and other construction elements in accordance with standard EN 520:2004+A1:2009.

3. Name and address of manufacturer or distributor:

Saint-Gobain Placo Ibérica, S.A.
Príncipe de Vergara, 132. 28002 Madrid
Spain
<http://www.placo.es>

4. Evaluation and verification system for constancy of performance:

System 4 – Manufacturer's warranty, ISO 9001 ER 1694/2000 certificate and/or AENOR N Mark certificate (see Placo® web site: www.placo.es).

5. Notified body

Not applicable.

6. Declared performance:

Description	Shear strength (N)	Reaction to fire	Vapour resistance [μ]	Flexural strength	Type/Classification according to EN 520	Impact Resistance	Acoustic insulation to airborne noise	Acoustic absorption	Thermal Resistance*
Placo® X-Ray Protection	NPD	A2-s1,d0	10	Meets standard	D F I	These characteristics depend on the system and are provide in the manufacturer's documentation based on the foreseen use. www.placo.es			0.25
Reference standard	EN 520	EN 520	EN 520	EN 520	EN 520				EN 520

* expressed as thermal conductivity in W/(m.K)

Placo® meets the requirements of Regulation (CE N°. 1907/2006 (REACH) from the European Parliament and Council, related to the Registry, Evaluation Authorisation and Restriction of chemical substances and preparations - REACH S.G. Registry Number Saint-Gobain Placo Ibérica, 01-2119444918-26-0000.



Madrid, 11/12/2018
Victor Bautista Verastegui
Director General



Placo

SAINT-GOBAIN

PROHLÁŠENÍ O VLASTNOSTECH Placo® X-Ray Protection

Identifikační kód: DdP_PYL_XRY_001

1. Identifikace výrobku:

Placo® X-Ray Protection

Podle značky země společnosti Saint-Gobain bude identifikace výrobku:

- Rigips® X-Ray Protection
- Gyproc® X-Ray Protection
- British Gypsum® X-Ray Protection

2. Zamýšlené použití výrobku:

Stavba dělicích příček, stropů a příček, a dalších stavebních prvků v souladu s normou EN 520:2004 + A1:2009.

3. Jméno a adresa výrobce nebo distributora:

Saint-Gobain Placo Iberica, S.A.
Principe de Vergara, 132. 28002 Madrid
Španělsko
<http://www.olaco.es>

4. Systém posuzování a ověřování stálosti vlastností:

Systém 4 – Záruka výrobce, certifikát ISO 9001 ER 1694/2000 a/nebo certifikát AENOR N Mark (viz webové stránky Placo®: www.placo.es).

5. Notifikovaná osoba

Není relevantní.



SAINT-GOBAIN

6. Deklarované vlastnosti:

Popis	Pevnost ve stříhu (N)	Reakce na oheň	Difuzní odpor [p]	Pevnost v tahu za ohybu	Typ/klasifikace v souladu s EN 520	Odolnost proti nárazu	Vzduchová neprůzvučnost	Zvuková pohltivost	Tepelný odpor*
Placo® X-Ray Protection	NPD	A2-s1,d0	10	Splňuje normy	D F I	Tyto vlastnosti závisí na systému a jsou uvedeny v dokumentaci výrobce na základě zamýšleného použití. www.placo.es			0,25
Referenční norma	EN 520	EN 520	EN 520	EN 520	EN 520				EN 520

* vyjádřeno jako tepelná vodivost ve W/(m.K)

Placo® splňuje požadavky nařízení Evropského parlamentu a Rady (ES) č. 1907/2006 (REACH) o registraci, hodnocení, povolování a omezování chemických látek – REACH S.G. registrační číslo Saint-Gobain Placo Iberica, 01-2119444918-26-0000.

Podpis připojen
Madrid, 11. prosince 2018
Victor Bautista Verastegui
 Generální ředitel



SAINT-GOBAIN

